

# H<sub>2</sub>O-RC

## Product Overview

The H<sub>2</sub>O-RC is a special 3 stage appliance filtration system, designed as an excellent replacement cartridge filter. This inline solution reduces chlorine in ice and drinking water. The KDF 55 and Granular Activated Carbon (GAC) media used in this device improves odor, flavor and appearance of municipal water. This product presents great performance value per cost.

## Product Highlights

- 3,000 gallon capacity
- Compact and lightweight
- 5 stage filtration: KDF / GAC with a 5 micron pad for sediment reduction
- Easy installation kit with mounting bracket and screws
- Quick connect fittings for simple installation/replacement
- Bacteriostatic media prevents bacteria growth (algae, fungi)
- Improves taste and color, eliminates odors.
- Reduces most EPA-listed contaminants
- Laboratory tested
- Includes a prorated warranty

Max Capacity	3,000 gal (11,356 L)
Recommended Flow	0.5 gpm (1.89 lpm)
Unit Height	12" (30.5 cm) including fittings
Unit Width	2.75" dia. (7 cm)
Unit Box Dimensions	13" x 4" x 4" (33 x 10.2 x 10.2 cm)
Unit Shipping Weight	2.2 lbs. (1 kg)
Packing	30 per master case
Master Dimensions	26" x 19" x 12" (66 x 48.26 x 30.48 cm)
Master Case Weight	67 lbs (30.4 kg)

Wall mount bracket



12" (30.5 cm)  
including fittings

