

POLARIS SCIENTIFIC UVA-24B


PARTS & ACCESSORIES

Electronic Ballast	Quartz Sleeve	Lamp
ZEB-2439	QS39	GL39PP

Additional Accessories Specific to Your UV System		
UV-NUT-1 / UV-NUT-2	UV-39SPRING	UV-SEAL
UV-WASHER	UV-PLUG	UV-TIMER



UVA-24B



GPM	Rated Life (hours)	Lamp Watts	Voltage @ 50/60HZ	Visual Warning	Audible Warning	Number of Lamps	Port Size Inlet/Outlet	Water Chamber	Timer	Length	Width	Maximum Pressure	Working Temp.	Wavelength	Microjoules
24	9,000	39W	110V/220V	LED	INDICATOR W/ALARM	2	1" MNPT	STAINLESS 304	✓	36.93"	3.5"	125 PSI	35°F- 104°F	254 nm	30 mJ/cm ²

POLARIS SCIENTIFIC UVA-36B


PARTS & ACCESSORIES

Electronic Ballast	Quartz Sleeve	Lamp
ZEB-2439	QS39	GL39PP

Additional Accessories Specific to Your UV System		
UV-NUT-1 / UV-NUT-2	UV-39SPRING	UV-SEAL
UV-WASHER	UV-PLUG	UV-TIMER



UVA-36B



GPM	Rated Life (hours)	Lamp Watts	Voltage @ 50/60HZ	Visual Warning	Audible Warning	Number of Lamps	Port Size Inlet/Outlet	Water Chamber	Timer	Length	Width	Maximum Pressure	Working Temp.	Wavelength	Microjoules
36	9,000	39W	110V/220V	LED	INDICATOR W/ ALARM	3	1.5"	STAINLESS 304	✓	36.93"	5.5"	125 PSI	35°F- 104°F	254 nm	30 mJ/cm ²

NOTE: Flanges available upon request.

POLARIS SCIENTIFIC UVA-50B


PARTS & ACCESSORIES

Electronic Ballast	Quartz Sleeve	Lamp
ZEB-2439	QS39	GL39PP

Additional Accessories Specific to Your UV System		
UV-NUT-1 / UV-NUT-2	UV-39SPRING	UV-SEAL
UV-WASHER	UV-PLUG	UV-TIMER



UVA-50B



GPM	Rated Life (hours)	Lamp Watts	Voltage @ 50/60HZ	Visual Warning	Audible Warning	Number of Lamps	Port Size Inlet/Outlet	Water Chamber	Timer	Length	Width	Maximum Pressure	Working Temp.	Wavelength	Microjoules
50	9,000	39W	110V/220V	LED	INDICATOR W/ALARM	4	1.5"	STAINLESS 304	✓	36.93"	5.5"	125 PSI	35°F- 104°F	254 nm	30 mJ/cm ²

NOTE: Flanges available upon request.

POLARIS SCIENTIFIC UVA-60B


PARTS & ACCESSORIES

Electronic Ballast	Quartz Sleeve	Lamp
ZEB-2439	QS39	GL39PP

Additional Accessories Specific to Your UV System		
UV-NUT-1 / UV-NUT-2	UV-39SPRING	UV-SEAL
UV-WASHER	UV-PLUG	UV-TIMER



UVA-60B



GPM	Rated Life (hours)	Lamp Watts	Voltage @ 50/60HZ	Visual Warning	Audible Warning	Number of Lamps	Port Size Inlet/Outlet	Water Chamber	Timer	Length	Width	Maximum Pressure	Working Temp.	Wavelength	Microjoules
60	9,000	39W	110V/220V	LED	INDICATOR W/ALARM	5	2" or 2.5" FLANGE	STAINLESS 304	✓	36.93"	5.5"	125 PSI	35°F- 104°F	254 nm	30 mJ/cm ²

POLARIS SCIENTIFIC UVA-80B


PARTS & ACCESSORIES

Electronic Ballast	Quartz Sleeve	Lamp
ZEB-2439	QS39	GL39PP

Additional Accessories Specific to Your UV System		
UV-NUT-1 / UV-NUT-2	UV-39SPRING	UV-SEAL
UV-WASHER	UV-PLUG	UV-TIMER



UVA-80B



GPM	Rated Life (hours)	Lamp Watts	Voltage @ 50/60HZ	Visual Warning	Audible Warning	Number of Lamps	Port Size Inlet/Outlet	Water Chamber	Timer	Length	Width	Maximum Pressure	Working Temp.	Wavelength	Microjoules
80	9,000	39W	110V/220V	LED	INDICATOR W/ALARM	6	2" or 2.5" FLANGE	STAINLESS 304	✓	36.93"	6.26"	125 PSI	35°F - 104°F	254 nm	30 ml/cm ²

POLARIS SCIENTIFIC UVA-100B


PARTS & ACCESSORIES

Electronic Ballast	Quartz Sleeve	Lamp
ZEB-2439	QS39	GL39PP

Additional Accessories Specific to Your UV System		
UV-NUT-1 / UV-NUT-2	UV-39SPRING	UV-SEAL
UV-WASHER	UV-PLUG	UV-TIMER



UVA-100B



GPM	Rated Life (hours)	Lamp Watts	Voltage @ 50/60HZ	Visual Warning	Audible Warning	Number of Lamps	Port Size Inlet/Outlet	Water Chamber	Timer	Length	Width	Maximum Pressure	Working Temp.	Wavelength	Microjoules
100	9,000	39W	110V/220V	LED	INDICATOR W/ALARM	8	2" or 2.5" FLANGE	STAINLESS 304	✓	36.93"	8.62"	125 PSI	35°F - 104°F	254 nm	30 ml/cm ²

POLARIS SCIENTIFIC UVA-150B


PARTS & ACCESSORIES

Electronic Ballast	Quartz Sleeve	Lamp
ZEB-55155	QS39	GL87PP

Additional Accessories Specific to Your UV System		
UV-NUT-1 / UV-NUT-2	UV-39SPRING	UV-SEAL
UV-WASHER	UV-PLUG	UV-TIMER



UVA-150B



GPM	Rated Life (hours)	Lamp Watts	Voltage @ 50/60HZ	Visual Warning	Audible Warning	Number of Lamps	Port Size Inlet/Outlet	Water Chamber	Timer	Length	Width	Maximum Pressure	Working Temp.	Wavelength	Microjoules
150	9,000	87W	110V/220V	LED	INDICATOR W/ALARM	6	3" FLANGE	STAINLESS 304	✓	36.93"	8.62"	125 PSI	35°F - 104°F	254 nm	30 mJ/cm ²

POLARIS SCIENTIFIC UVA-200B


PARTS & ACCESSORIES

Electronic Ballast	Quartz Sleeve	Lamp
ZEB-55155	QS39	GL87PP

Additional Accessories Specific to Your UV System		
UV-NUT-1 / UV-NUT-2	UV-39SPRING	UV-SEAL
UV-WASHER	UV-PLUG	UV-TIMER



UVA-200B



GPM	Rated Life (hours)	Lamp Watts	Voltage @ 50/60HZ	Visual Warning	Audible Warning	Number of Lamps	Port Size Inlet/Outlet	Water Chamber	Timer	Length	Width	Maximum Pressure	Working Temp.	Wavelength	Microjoules
200	9,000	87W	110V/220V	LED	INDICATOR W/ALARM	8	4" FLANGE	STAINLESS 304	✓	36.93"	8.62"	125 PSI	35°F - 104°F	254 nm	30 mJ/cm ²

POLARIS SCIENTIFIC UVA-418HO



UVA-418HO




PARTS & ACCESSORIES

Electronic Ballast	Quartz Sleeve	Lamp
HOB-4890	QS48HO	GLHO48PP

Additional Accessories Specific to Your UV System					
UV-NUT-1/ UV-NUT-2	UV-SEAL	UV-32 SPRING	UV-WASHER	UV-PLUG	CLP-35UV

GPM	Rated Life (Days)	Lamp Watts	Voltage @ 50/60HZ	Visual Warning	Audible Warning	Number of Lamps	Port Size Inlet/Outlet	Water Chamber	Length	Width	Maximum Pressure	Working Temp.	Wave-length	Microjoules
18	365	48W	110V/220V	LED	INDICATOR W/ALARM	1	3/4" FNPT 1" MNPT	STAINLESS 304	23.23"	3.5"	125 PSI	36°F- 104°F	254 nm	30 mJ/cm ²



POLARIS SCIENTIFIC UVA-630HO



UVA-630HO




PARTS & ACCESSORIES

Electronic Ballast	Quartz Sleeve	Lamp
HOB-4890	QS58HO	GLHO58PP

Additional Accessories Specific to Your UV System					
UV-NUT-1/ UV-NUT-2	UV-SEAL	UV-32 SPRING	UV-WASHER	UV-PLUG	CLP-35UV

GPM	Rated Life (Days)	Lamp Watts	Voltage @ 50/60HZ	Visual Warning	Audible Warning	Number of Lamps	Port Size Inlet/Outlet	Water Chamber	Length	Width	Maximum Pressure	Working Temp.	Wavelength	Microjoules
30	365	58W	110V/220V	LED	INDICATOR W/ ALARM	1	3/4" FNPT 1" MNPT	STAINLESS 304	27.87"	3.5"	125 PSI	36°F- 104°F	254 nm	30 mJ/cm ²



POLARIS SCIENTIFIC UVA-946HO



UVA-946HO



PARTS & ACCESSORIES

Electronic Ballast	Quartz Sleeve	Lamp
HOB-4890	QS90HO	GLHO90PP

Additional Accessories Specific to Your UV System					
UV-NUT-1/ UV-NUT-2	UV-SEAL	UV-39 SPRING	UV-WASHER	UV-PLUG	CLP-35UV

GPM	Rated Life (Days)	Lamp Watts	Voltage @ 50/60HZ	Visual Warning	Audible Warning	Number of Lamps	Port Size Inlet/Outlet	Water Chamber	Length	Width	Maximum Pressure	Working Temp.	Wavelength	Microjoules
46	365	90W	110V/220V	LED	INDICATOR W/ ALARM	1	1.5" MNPT	STAINLESS 304	36.81"	3.5"	125 PSI	36°F- 104°F	254 nm	30 mJ/cm ²

