


**DISTRIBUTOR SYSTEMS
PRODUCT CATALOG**



AQUATROL™



H2O FILTER






Table of Contents

RESIDENTIAL

Top / Bottom Distributors	3 - 4
----------------------------------	-------

COMMERCIAL & INDUSTRIAL

Top Distributors	5 - 6
Bottom Distributors	7
Top & Bottom Distributors	8
Hub & Lateral Distributors	10 - 19
In/Out Tank Heads	20

APPENDIX

Adaptors	21
Terms & Conditions	22
Notes	23

AQT-TD-1203

Aquatrol Basket Top Distributor,
1.05", Lock

Top Distributor Basket for 0713-1354 Tanks. **For 1.05" riser pipe. Lock control valve engagement.** Made out of high impact FDA approved ABS plastic. The fixed slot is .01-.03.

The molded basket distributors are designed for general domestic water softener use for 7" to 10" diameter tanks without a gravel support bed, or 12" to 13" diameter tanks with a gravel support bed.

Alternative Replacement Part for:

Fleck/Bajonet Part Number: 18280
Clack Part Number: D1203

AQT-BD-1212-04

Aquatrol Stack Bottom Distributor,
1.05", Solvent

Bottom Stack Distributor Basket for 1054-1865 Tanks. **For 1.05" riser pipe.** Made out of high impact FDA approved ABS plastic. The fixed slot is .01-.03.

The molded basket distributors are designed for general domestic water softener use for 10" to 12" diameter tanks without a gravel support bed, or 13" to 18" diameter tanks with a gravel support bed.

Alternative Replacement Part for:

Fleck/Bajonet Part Number: 40922
Clack Part Number: D1212-04



FOR VALVES:

AQT-56
AQT-56SE

FLOW RATE:

25 gpm




FOR VALVES:

AQT-275

FLOW RATE:

25 - 30 gpm



FOR VALVES:

AQT-56

AQT-56SE

FLOW RATE:

25 gpm

AQT-BD-1213-04

*Aquatrol Basket Bottom Distributor,
1.05", Solvent*

Bottom Distributor Basket for 0713-1354 Tanks. **For 1.05" riser pipe.** Made out of high impact FDA approved ABS plastic. The fixed slot is .01-.03.

The molded basket distributors are designed for general domestic water softener use for 7" to 10" diameter tanks without a gravel support bed, or 12" to 13" diameter tanks with a gravel support bed.

Alternative Replacement Part for:

Fleck/Bajonet Part Number: 13851

Clack Part Number: D1236

Because of the diversity of water softeners and filter applications (including, but not limited to, pressure drop, flowrate and backwash rate per square foot), Aquatrol's liability is limited to the repair or replacement of defective goods, provided that the same are returned to Aquatrol for repair or replacement within one (1) year. THESE WARRANTIES ARE EXPRESSLY MADE IN LIEU OF ANY OTHER WARRANTIES EXPRESSED OR IMPLIED, including the warranties of merchantability and fitness, and the sole responsibility of Aquatrol shall be to replace, rework or issue credit for goods not in conformity with specifications. It is the responsibility of the purchaser to determine on an individual basis the function and application of the distributor.



AQT-TD-1199

*Aquatrol Stack Top Distributor,
1.5" Riser, Screw, 3.5" X 5.5"*

Aquatrol Top Stack Distributor for top mounted valves.

The stack distributor is designed to diffuse or break up the inlet water flow.

Installation is accomplished by simply pinning or screwing in the top stack distributor and diffuser or snapping the top baffle diffuser directly inside the control valve. **3.5" stack diameter X 5.5" stack height for 1.5" riser pipe.**

Alternative Replacement Part for:

Clack Part Number: D1199

AQT-TD-MV2

*Aquatrol Stack Top Distributor,
1.5" Riser, Threaded Valve Connection, 3.5" X 5.5"*

Aquatrol Top Stack Distributor for top mounted manual valves w/threaded connection. The stack distributor is designed to diffuse or break up the inlet water flow.


Installation is accomplished by simply threading directly to the control valve. **3.5" stack diameter X 5.5" stack height for 1.5" riser pipe.**



TANK DIAMETER:
14"-36"

FOR VALVES:
AQT-285
AQT-290


FLOW RATE:
70 - 85 gpm



TANK DIAMETER:
14"-36"

FOR VALVES:
AQT-MSV-2
AQT-MFV-2


FLOW RATE:
70 - 85 gpm



TANK DIAMETER:
21" - 48"

FOR VALVES:
AQT-315

FLOW RATE:
70 - 85 gpm



TANK DIAMETER:
36"-63"

FOR VALVES:
AQT-390

FLOW RATE:
132 - 189 gpm

AQT-TD-D1199-02

*Aquatrol Stack Top Distributor,
2" Riser, Screw, 3.5" X 5.5"*

Aquatrol Top Stack Distributor for top mounted valves. The stack distributor is designed to diffuse or break up the inlet water flow.

Installation is accomplished by simply screwing in the top stack distributor or snapping the top baffle directly inside the control valve. **3.5" stack diameter X 5.5" stack height for 2" riser pipe.**

Alternative Replacement Part for:

Clack Part Number: D1199-02

AQT-TD-TM6F3S

*Aquatrol Stack Top Distributor,
3" Riser, Screw, 5.5" X 8.5"*

Aquatrol Top Stack Distributor for top mounted valves. The stack distributor is designed to diffuse or break up the inlet water flow.

Installation is accomplished by simply screwing in the top stack distributor or snapping the top baffle directly inside the control valve. **5.5" stack diameter X 8.5" stack height for 3" riser pipe.**

AQT-BD-1196-07

*Aquatrol Stack Bottom Distributor,
1.5" Solvent Riser, 4" Top, 3.5" X 3"*

Bottom Stack Distributor for top mount valves, **for 14"-16" diameter tanks with 4" top openings. 1.5" riser pipe opening.** There is no stack distributor assembly required.

To install, solvent weld the riser pipe directly into the distributor and extend the distributor to the bottom of the mineral tank. **3.5" stack diameter X 3" stack height.**

Alternative Replacement Part for:

Clack Part Number: D1196-07

AQT-BD-1197-07

*Aquatrol Stack Bottom Distributor,
1.5", Solvent, 4" Top, 3.5" X 6"*

Bottom Stack Distributor for top mount valves, **for 16"-24" diameter tanks with 4" top openings. 1.5" riser pipe opening.** There is no stack distributor assembly required.

To install, solvent weld or threaded the riser pipe directly into the distributor and extend the distributor to the bottom of the mineral tank. **3.5" stack diameter X 6" stack height.**

Alternative Replacement Part for:

Clack Part Number: D1197-07



TANK DIAMETER:
14"-16"

FOR VALVES:
AQT-285
AQT-290


FLOW RATE:
40 - 50 gpm



TANK DIAMETER:
16"- 24"

FOR VALVES:
AQT-285
AQT-290

FLOW RATE:
75 - 96 gpm



TANK DIAMETER:
14"-36"

FOR VALVES:
LATERAL VALVES

FLOW RATE:
75 - 97 gpm

AQT-TBD-7155H


*Aquatrol Stack Top and Bottom Distributor (TBD),
4"-8UN adaptor, 2" Solvent Straight Connector*

The stack distributor assemblies are designed to be used interchangeably as either top or bottom distributors. **The distributor assemblies consist of a segmented stack distributor, 4"-8UN adaptor, and a 2" CPVC straight connector.**

The segmented distributor has the ability to open up when backwashed, removing any possible fines that might accumulate on the distributor. **The top and bottom assemblies are designed for use with 14" - 36" diameter fiberglass mineral tanks.**

Alternative Replacement Part for:

Fleck/Bajonet Part Number: 5671
Clack Part Number: D7155



TANK DIAMETER:
36"-63"

FOR VALVES:
LATERAL VALVES

FLOW RATE:
220 - 255 gpm

AQT-TBD-B5679

*Aquatrol Stack Top and Bottom Distributor (TBD),
6" Flange, 3" FNPT*

The stack distributor assemblies are designed to be used interchangeably as either top or bottom distributors. **The distributor assemblies consist of a segmented stack distributor, and a 6" Flange x 3" FNPT adaptor.**


The segmented distributor has the ability to open up when backwashed, removing any possible fines that might accumulate on the distributor. **The top and bottom assemblies are designed for use with 36"-63" diameter fiberglass mineral tanks.**

Alternative Replacement Part for:

Fleck/Bajonet Part Number: 5679
Clack Part Number: DKSTSF3



**COMMERCIAL
/ INDUSTRIAL
HUB & LATERALS**



Solvent



Thread



TANK DIAMETER:
14"-16"

FOR VALVES:
AQT-285
AQT-290

FLOW RATE:
125 - 145 gpm



Solvent



Thread



TANK DIAMETER:
18"-21"

FOR VALVES:
AQT-285
AQT-290

FLOW RATE:
125 - 145 gpm

AQT-HL-B5665

*Aquatrol HUB Distributor, 6 Threaded Laterals,
1.5" Solvent Riser, 14"-16" tanks*

Aquatrol Top Mount Hub and Lateral Distributor Systems are designed primarily for use with top mount water softeners or filter valves.

The Top Mount Hub and Lateral Distributor Series is designed to accommodate 14" - 16" diameter fiberglass mineral tanks with 4" top openings. This Series consists of an ABS hub and 6-PVC slotted laterals with **3/4" threaded adaptors.**

Alternative Replacement Part for:

Fleck/Bajonet Part Number: 5665
Clack Part Number: DKSHL16TM1.5S

AQT-HL-B5666

*Aquatrol HUB Distributor, 6 Threaded Laterals,
1.5" Solvent Riser, 18"-21" tanks*

Aquatrol Top Mount Hub and Lateral Distributor Systems are designed primarily for use with top mount water softeners or filter valves

The Top Mount Hub and Lateral Distributor Series is designed to accommodate 18"-21" diameter fiberglass mineral tanks with 4" top openings. This Series consists of an ABS hub and 6-PVC slotted laterals with **3/4" threaded adaptors.**

Alternative Replacement Part for:

Fleck/Bajonet Part Number: 5666
Clack Part Number: DKSHL18TM1.5S

AQT-HL-B5667

Aquatrol HUB Distributor, 6 Threaded Laterals,
1.5" Solvent Riser, 24" tanks

Aquatrol Top Mount Hub and Lateral Distributor Systems are designed primarily for use with top mount water softeners or filter valves.

The Top Mount Hub and Lateral Distributor Series is designed to accommodate 24" diameter fiberglass mineral tanks with 4" top openings. This Series consists of an ABS hub and 6-PVC slotted laterals with 3/4" threaded adaptors.

Alternative Replacement Part for:

Fleck/Bajonet Part Number: 5667
Clack Part Number: DKSHL21TM1.5S

AQT-HL-B10848

Aquatrol HUB Distributor, 6 Threaded Laterals,
1.5" Solvent Riser, 30" tanks

Aquatrol Top Mount Hub and Lateral Distributor Systems are designed primarily for use with top mount water softeners or filter valves.

The Top Mount Hub and Lateral Distributor Series is designed to accommodate 30" diameter fiberglass mineral tanks with 4" top openings. This Series consists of an ABS hub and 6-PVC slotted laterals with 3/4" threaded adaptors.

Alternative Replacement Part for:

Fleck/Bajonet Part Number: 10849

AQT-HL-B10849

Aquatrol HUB Distributor, 6 Threaded Laterals,
1.5" Solvent Riser, 36" tanks

Aquatrol Top Mount Hub and Lateral Distributor Systems are designed primarily for use with top mount water softeners or filter valves.

The Top Mount Hub and Lateral Distributor Series is designed to accommodate 36" diameter fiberglass mineral tanks with 4" top openings. This Series consists of an ABS hub and 6-PVC slotted laterals with 3/4" threaded adaptors.

Alternative Replacement Part for:


Fleck/Bajonet Part Number: 10849



Solvent



Thread



TANK DIAMETER: 24"
FOR VALVES: AQT-285
AQT-290
FLOW RATE: 140 - 155 gpm



Solvent



Thread



TANK DIAMETER: 30"
FOR VALVES: AQT-285
AQT-290
FLOW RATE: 140 - 155 gpm




Solvent



Thread



TANK DIAMETER: 36"
FOR VALVES: AQT-285
AQT-290
FLOW RATE: 155 - 172 gpm



TANK DIAMETER: 24"
FOR VALVES: AQT-315
FLOW RATE: 66 - 110 gpm

AQT-HL-24TM2



Aquatrol HUB Distributor, 8 Threaded Laterals,
2" Solvent Riser, 24" tanks

Aquatrol Top Mount Valve Hub and Lateral Distributor Systems are designed primarily for use with top mount water softener and filter valves.

The top Mount Valve Hub and Lateral Distributor Series is designed to accommodate 24" diameter fiberglass mineral tanks with 4" top openings. This series consists of an ABS hub and 8-PVC slotted laterals with 3/4" threaded adaptor.

Alternative Replacement Part for:

Clack Part Number: DKSHL24TM2T



TANK DIAMETER: 30"
FOR VALVES: AQT-315
FLOW RATE: 77 - 121 gpm

AQT-HL-30TM2



Aquatrol HUB Distributor, 8 Threaded Laterals,
2" Solvent Riser, 30" tanks

Aquatrol Top Mount Valve Hub and Lateral Distributor Systems are designed primarily for use with top mount water softener and filter valves.

The top Mount Valve Hub and Lateral Distributor Series is designed to accommodate 30" diameter fiberglass mineral tanks with 4" top openings. This series consists of an ABS hub and 8-PVC slotted laterals with 3/4" threaded adaptor.

Alternative Replacement Part for:

Clack Part Number: DKSHL30TM2S



TANK DIAMETER: 36"
FOR VALVES: AQT-315
FLOW RATE: 88 - 132 gpm

AQT-HL-36TM2

Aquatrol HUB Distributor, 8 Threaded Laterals,
2" Solvent Riser, 36" tanks

Aquatrol Top Mount Valve Hub and Lateral Distributor Systems are designed primarily for use with top mount water softener and filter valves.

The top Mount Valve Hub and Lateral Distributor Series is designed to accommodate 36" diameter fiberglass mineral tanks with 4" top openings. This series consists of an ABS hub and 8-PVC slotted laterals with 3/4" threaded adaptor.

Alternative Replacement Part for:

Clack Part Number: DKSHL36TM2S

AQT-HL-42TM2

Aquatrol HUB Distributor, 8 Threaded Laterals,
2" Solvent Riser, 42" tanks

Aquatrol Top Mount Valve Hub and Lateral Distributor Systems are designed primarily for use with top mount water softener and filter valves.

The top Mount Valve Hub and Lateral Distributor Series is designed to accommodate 42" diameter fiberglass mineral tanks with 4" top openings. This series consists of an ABS hub and 8-PVC slotted laterals with 3/4" threaded adaptor.

Alternative Replacement Part for:

Clack Part Number: DKSHL42TM2S

AQT-HL-48TM2

Aquatrol HUB Distributor, 8 Threaded Laterals,
2" Solvent Riser, 48" tanks

Aquatrol Top Mount Valve Hub and Lateral Distributor Systems are designed primarily for use with top mount water softener and filter valves.

The top Mount Valve Hub and Lateral Distributor Series is designed to accommodate 48" diameter fiberglass mineral tanks with 4" top openings. This series consists of an ABS hub and 8-PVC slotted laterals with 3/4" threaded adaptor.

Alternative Replacement Part for:

Clack Part Number: DKSHL48TM2S

AQT-HL-30TM3


Aquatrol HUB Distributor, 8 Threaded Laterals,
3" Solvent Riser, 30" tanks

Aquatrol Top Mount Valve Hub and Lateral Distributor Systems are designed primarily for use with top mount water softener and filter valves.

The top Mount Valve Hub and Lateral Distributor Series is designed to accommodate 30" diameter fiberglass mineral tanks with 6" flange top openings. This series consists of an ABS hub and 8-PVC slotted laterals with 3/4" threaded adaptor.

Alternative Replacement Part for:

Fleck/Bajonet Part Number: 5672
Clack Part Number: DKSHL30TM3S



Solvent




Thread

TANK DIAMETER:
42"

FOR VALVES:
AQT-315

FLOW RATE:
99 - 143 gpm



Solvent




Thread

TANK DIAMETER:
48"

FOR VALVES:
AQT-315

FLOW RATE:
99 - 143 gpm



Solvent





Thread

TANK DIAMETER:
30"

FOR VALVES:
AQT-390

FLOW RATE:
77 - 121 gpm



TANK DIAMETER: 36"
FOR VALVES: AQT-390
FLOW RATE: 88 - 132 gpm

AQT-HL-36TM3



Aquatrol HUB Distributor, 8 Threaded Laterals,
3" Solvent Riser, 36" tanks

Aquatrol Top Mount Valve Hub and Lateral Distributor Systems are designed primarily for use with top mount water softener and filter valves.

The top Mount Valve Hub and Lateral Distributor Series is designed to accommodate 36" diameter fiberglass mineral tanks with 6" flange top openings. This series consists of an ABS hub and 8-PVC slotted laterals with 3/4" threaded adaptor.

Alternative Replacement Part for:

Fleck/Bajonet Part Number: 5673
Clack Part Number: DKSHL36TM3S



TANK DIAMETER: 42"
FOR VALVES: AQT-390
FLOW RATE: 99 - 143 gpm

AQT-HL-42TM3


Aquatrol HUB Distributor, 8 Threaded Laterals,
3" Solvent Riser, 42" tanks

Aquatrol Top Mount Valve Hub and Lateral Distributor Systems are designed primarily for use with top mount water softener and filter valves.

The top Mount Valve Hub and Lateral Distributor Series is designed to accommodate 42" diameter fiberglass mineral tanks with 6" flange top openings. This series consists of an ABS hub and 8-PVC slotted laterals with 3/4" threaded adaptor.

Alternative Replacement Part for:

Fleck/Bajonet Part Number: 5674
Clack Part Number: DKSHL42TM3S



TANK DIAMETER: 48"
FOR VALVES: AQT-390
FLOW RATE: 99 - 143 gpm

AQT-HL-48TM3

Aquatrol HUB Distributor, 8 Threaded Laterals,
3" Solvent Riser, 48" tanks

Aquatrol Top Mount Valve Hub and Lateral Distributor Systems are designed primarily for use with top mount water softener and filter valves.

The top Mount Valve Hub and Lateral Distributor Series is designed to accommodate 48" diameter fiberglass mineral tanks with 6" flange top openings. This series consists of an ABS hub and 8-PVC slotted laterals with 3/4" threaded adaptor.

Alternative Replacement Part for:

Fleck/Bajonet Part Number: 5675
Clack Part Number: DKSHL48TM3S

AQT-HL-63TM3

Aquatrol HUB Distributor, 8 Threaded Laterals,
3" Solvent Riser, 63" tanks


Aquatrol Top Mount Valve Hub and Lateral Distributor Systems are designed primarily for use with top mount water softener and filter valves.

The top Mount Valve Hub and Lateral Distributor Series is designed to accommodate 63" diameter fiberglass mineral tanks with 6" flange top openings. This series consists of an ABS hub and 8-PVC slotted laterals with 3/4" threaded adaptor.

Alternative Replacement Part for:

Fleck/Bajonet Part Number: 13492
Clack Part Number: DKSHL63TM3S

Because of the diversity of water softeners and filter applications (including, but not limited to, pressure drop, flowrate and backwash rate per square foot), Aquatrol's liability is limited to the repair or replacement of defective goods, provided that the same are returned to Aquatrol for repair or replacement within one (1) year. **THESE WARRANTIES ARE EXPRESSLY MADE IN LIEU OF ANY OTHER WARRANTIES EXPRESSED OR IMPLIED**, including the warranties of merchantability and fitness, and the sole responsibility of Aquatrol shall be to replace, rework or issue credit for goods not in conformity with specifications. It is the responsibility of the purchaser to determine on an individual basis the function and application of the distributor.



Solvent



Thread

TANK DIAMETER:
63"

FOR VALVES:
AQT-390

FLOW RATE:
110 - 154 gpm





Straight

Thread

TANK DIAMETER: 16"
FOR VALVES: LATERAL VALVES
FLOW RATE: 120 - 141 gpm

AQT-HL-7160

Aquatrol HUB Distributor, 6 Threaded Laterals, 2" Straight Connect, Solvent, 16" tanks

Aquatrol Bottom Mount Hub and Lateral Distributor Systems are designed specifically to fit into a 4" bottom mineral tank opening eliminating the need for a 6" bottom hole where a greater possibility of leaks exist.

The Bottom Mount Hub and Lateral Distributor Series is designed for use in 16" diameter fiberglass mineral tanks. This Series consist of an ABS hub, 6 PVC slotted laterals with 3/4" threaded adaptors, 4"-8UN tank adaptor and 2" CPVC straight connector.

Alternative Replacement Part for:

Clack Part Number: D7160



Straight

Thread

TANK DIAMETER: 18"-21"
FOR VALVES: LATERAL VALVES
FLOW RATE: 120 - 141 gpm

AQT-HL-B5669

Aquatrol HUB Distributor, 6 Threaded Laterals, 2" Straight Connect, Solvent, 18"-21" tanks

Aquatrol Bottom Mount Hub and Lateral Distributor Systems are designed specifically to fit into a 4" bottom mineral tank opening eliminating the need for a 6" bottom hole where a greater possibility of leaks exist.

The Bottom Mount Hub and Lateral Distributor Series is designed for use in 18" - 21" diameter fiberglass mineral tanks. This Series consist of an ABS hub, 6 PVC slotted laterals with 3/4" threaded adaptors, 4"-8UN tank adaptor and 2" CPVC straight connector.

Alternative Replacement Part for:

Fleck/Bajonet Part Number: 5669
Clack Part Number: D7161



Straight

Thread

TANK DIAMETER: 24"
FOR VALVES: LATERAL VALVES
FLOW RATE: 138 - 155 gpm

AQT-HL-7161

Aquatrol HUB Distributor, 6 Threaded Laterals, 2" Straight Connect, Solvent, 24" tanks

Aquatrol Bottom Mount Hub and Lateral Distributor Systems are designed specifically to fit into a 4" bottom mineral tank opening eliminating the need for a 6" bottom hole where a greater possibility of leaks exist.

The Bottom Mount Hub and Lateral Distributor Series is designed for use in 24" diameter fiberglass mineral tanks. This Series consist of an ABS hub, 6 PVC slotted laterals with 3/4" threaded adaptors, 4"-8UN tank adaptor and 2" CPVC straight connector.

Alternative Replacement Part for:

Fleck/Bajonet Part Number: 5670
Clack Part Number: D7161

AQT-HL-7162

Aquatrol HUB Distributor, 6 Threaded Laterals,
2" Straight Connect, Solvent, 30" tanks

Aquatrol Bottom Mount Hub and Lateral Distributor Systems are designed specifically to fit into a 4" bottom mineral tank opening eliminating the need for a 6" bottom hole where a greater possibility of leaks exist.

The Bottom Mount Hub and Lateral Distributor Series is designed for use in 30" diameter fiberglass mineral tanks. This Series consist of an ABS hub, 6 PVC slotted laterals with 3/4" threaded adaptors, 4"-8UN tank adaptor and 2" CPVC straight connector.

Alternative Replacement Part for:

Fleck/Bajonet Part Number: 11039
Clack Part Number: D7162

AQT-HL-7163

Aquatrol HUB Distributor, 6 Threaded Laterals,
2" Straight Connect, Solvent, 36" tanks

Aquatrol Bottom Mount Hub and Lateral Distributor Systems are designed specifically to fit into a 4" bottom mineral tank opening eliminating the need for a 6" bottom hole where a greater possibility of leaks exist.

The Bottom Mount Hub and Lateral Distributor Series is designed for use in 36" diameter fiberglass mineral tanks. This Series consist of an ABS hub, 6 PVC slotted laterals with 3/4" threaded adaptors, 4"-8UN tank adaptor and 2" CPVC straight connector.

Alternative Replacement Part for:

Fleck/Bajonet Part Number: 11040
Clack Part Number: D7163

AQT-HL-B5683

Aquatrol HUB Distributor, 8 Threaded Laterals,
6" Flange, 3" FNPT, 30" tanks

Aquatrol Bottom Mount Hub and Laterals have **8 threaded polypropylene laterals** with .008 slot and polypropylene hub. (6" Flange x 3" FNPT x 3" FNPT, adaptor included). For 6" flange connection. For 30" tanks.

Alternative Replacement Part for:

Fleck/Bajonet Part Number: 5683
Clack Part Number: DKSHL30FBM3T



Straight



Thread

TANK DIAMETER:
30"

FOR VALVES:
LATERAL VALVES

FLOW RATE:
138 - 155 gpm



Straight



Thread

TANK DIAMETER:
36"

FOR VALVES:
LATERAL VALVES

FLOW RATE:
155 - 175 gpm



Flange



Thread

TANK DIAMETER:
30"

FOR VALVES:
LATERAL VALVES

FLOW RATE:
99 - 115 gpm



Flange Thread

TANK DIAMETER: 36"
FOR VALVES: LATERAL VALVES
FLOW RATE: 115 - 125 gpm

AQT-HL-B5684

Aquatrol HUB Distributor, 8 Threaded Laterals, 6" Flange, 3" FNPT, 36" tanks

Aquatrol Bottom Mount Hub and Laterals have **8 threaded polypropylene laterals** with .008 slot and polypropylene hub. (6" Flange x 3" FNPT x 3" FNPT, adaptor included). For 6" flange connection. For 36" tanks.

Alternative Replacement Part for:

Fleck/Bajonet Part Number: 5684
Clack Part Number: DKSHL36FBM3T



Flange Thread

TANK DIAMETER: 42"
FOR VALVES: LATERAL VALVES
FLOW RATE: 122 - 135 gpm

AQT-HL-B5685

Aquatrol HUB Distributor, 8 Threaded Laterals, 6" Flange, 3" FNPT, 42" tanks

Aquatrol Bottom Mount Hub and Laterals have **8 threaded polypropylene laterals** with .008 slot and polypropylene hub. (6" Flange x 3" FNPT x 3" FNPT, adaptor included). For 6" flange connection. For 42" tanks.

Alternative Replacement Part for:

Fleck/Bajonet Part Number: 5686
Clack Part Number: DKSHL42FBM3T



Flange Thread

TANK DIAMETER: 48"
FOR VALVES: LATERAL VALVES
FLOW RATE: 135 - 145 gpm

AQT-HL-B5686

Aquatrol HUB Distributor, 8 Threaded Laterals, 6" Flange, 3" FNPT, 48" tanks

Aquatrol Bottom Mount Hub and Laterals have **8 threaded polypropylene laterals** with .008 slot and polypropylene hub. (6" Flange x 3" FNPT x 3" FNPT, adaptor included). For 6" flange connection. For 48" tanks.

Alternative Replacement Part for:

Fleck/Bajonet Part Number: 5686
Clack Part Number: DKSHL48FBM3T

AQT-HL-D63FB

Aquatrol HUB Distributor, 8 Threaded Laterals,
6" Flange, 3" FNPT, 63" tanks

Aquatrol Bottom Mount Hub and Laterals have **8 threaded polypropylene laterals** with .008 slot and polypropylene hub. **(6" Flange x 3" FNPT x 3" FNPT, adaptor included). For 6" flange connection. For 63" tanks.**

Alternative Replacement Part for:

Clack Part Number: DKSHL63FBM3T

AQT-HL-B11665HF

Aquatrol HUB Distributor, 16 Threaded Laterals,
6" Flange, 3" FNPT, 48" tanks

Aquatrol Bottom Mount Hub and Laterals have **16 threaded polypropylene laterals** with .008 slot and polypropylene hub. **(6" Flange x 3" FNPT x 3" FNPT, adaptor included). For 6" flange connection. For 48" tanks.**

Alternative Replacement Part for:

Fleck/Bajonet Part Number: 11665
Clack Part Number: DKSHL48FBM3T-HF

AQT-HL-B14248HF

Aquatrol HUB Distributor, 16 Threaded Laterals,
6" Flange, 3" FNPT, 63" tanks

Aquatrol Bottom Mount Hub and Laterals has **16 threaded polypropylene large laterals** with .008 slot, polypropylene hub. **(6" Flange x 3" FNPT x 3" FNPT, adaptor included). For 6" flange connection. For 63" tanks.**

Alternative Replacement Part for:

Fleck/Bajonet Part Number: 14248
Clack Part Number: DKSHL63FBM3T-HF



Flange



Thread

TANK DIAMETER:
63"

FOR VALVES:
LATERAL VALVES

FLOW RATE:
140 - 155 gpm



Flange



Thread

TANK DIAMETER:
48"

FOR VALVES:
LATERAL VALVES

FLOW RATE:
229 - 255 gpm



Flange



Thread

TANK DIAMETER:
63"

FOR VALVES:
LATERAL VALVES

FLOW RATE:
250 - 280 gpm



RISER PIPE (OR TUBE): 3/4" nominal (1.05" O.D.)



RISER PIPE (OR TUBE): 3/4" nominal (1.05" O.D.)



RISER PIPE (OR TUBE): 1.5" nominal (1.90" O.D.)

AQT-TH34-25

Aquatrol Tank Head, 3/4" NPT In/Out, 2 1/2" Top Opening Tanks

The AQT Tank Heads are durable, rugged plastic injection molded In/Out heads designed for simple applications such as carbon filters for sediment, taste and odor reduction or pH neutralization systems.

Inlet and outlet are 3/4" female NPT for easy straight line installation where higher flow rates are required. These economical heads will fit onto standard **2 1/2" tank openings**.

AQT-TH1-25

Aquatrol Tank Head, 1" NPT In/Out, 2 1/2" Top Opening Tanks

The AQT Tank Heads are durable, rugged plastic injection molded In/Out heads designed for simple applications such as carbon filters for sediment, taste and odor reduction or pH neutralization systems.

Inlet and outlet are 1" female NPT for easy straight line installation where higher flow rates are required. These economical heads will fit onto standard **2 1/2" tank openings**.

AQT-TH2-4

Aquatrol Tank Head, 2" NPT In/Out, 4" Top Opening Tanks

The AQT Tank Heads are durable, rugged plastic injection molded In/Out heads designed for simple applications such as carbon filters for sediment, taste and odor reduction or pH neutralization systems.

Inlet and outlet are 2" female NPT for easy straight line installation where higher flow rates are required. These economical heads will fit onto standard **4" tank openings**.

THREADED CLOSURES



AQT-TC4
Threaded Closure 4"



AQT-TC6F
Flange Closure 6"

TANK ADAPTORS



AQT-FA-6F4T
*Flange Adaptor - 6" Flange
Exterior, 4" Interior Thread*



AQT-FA-6F3T
*Flange Adaptor - 6" Flange
Exterior, 3" Interior Thread*



AQT-TA-425
*Reducer 4" Threaded
- 2.5" Threaded*



AQT-TA-6F4
*Reducer 6" Flange
- 4" Threaded*

VACUUM BREAKERS



AQT-VB
Vacuum Breaker

**WHERE RELIABILITY
MEETS PROFITABILITY**



**RESIDENTIAL/COMMERCIAL
DISTRIBUTOR SYSTEMS**

AQUATROL™

3001 S.W. 15th Street, Suite C, Deerfield Beach, FL 33442

sales@h2ofilter.com • www.h2ofilter.com

Toll-Free Number: 1-800-570-3464

International: 1-954-570-3464